

Brand	Part Number	Name	Style Number	Finish	Diameter	Width	Hub	PCD1
Touren	3260-6701E	TR60	3260	BLACK/MA	16	7	67.1	4-100
Touren	3260-6701G	TR60	3260	GUNMETA	16	7	67.1	4-100
Touren	260-6701M	TR60	3260	MATTE BLA	16	7	67.1	4-100
Touren	3260-6703E	TR60	3260	BLACK/MA	16	7	72.62	5-100
Touren	3260-6703G	TR60	3260	GUNMETA	16	7	72.62	5-100
Touren	260-6703M	TR60	3260	MATTE BLA	16	7	72.62	5-100
Touren	3260-6709E	TR60	3260	BLACK/MA	16	7	72.62	5-112
Touren	3260-6709G	TR60	3260	GUNMETA	16	7	72.62	5-112
Touren	260-6709M	TR60	3260	MATTE BLA	16	7	72.62	5-112
Touren	3260-6711E	TR60	3260	BLACK/MA	16	7	72.62	5-110
Touren	3260-6711G	TR60	3260	GUNMETA	16	7	72.62	5-110
Touren	260-6711M	TR60	3260	MATTE BLA	16	7	72.62	5-110
Touren	3260-6720E	TR60	3260	BLACK/MA	16	7	72.62	4-108
Touren	3260-6720G	TR60	3260	GUNMETA	16	7	72.62	4-108
Touren	260-6720M	TR60	3260	MATTE BLA	16	7	72.62	4-108
Touren	260-6701B	TR60	3260	BLACK/RED	16	7	67.1	4-100
Touren	260-6703B	TR60	3260	BLACK/RED	16	7	72.62	5-100
Touren	260-6709B	TR60	3260	BLACK/RED	16	7	72.62	5-112
Touren	260-6711B	TR60	3260	BLACK/RED	16	7	72.62	5-110
Touren	260-6720B	TR60	3260	BLACK/RED	16	7	72.62	4-108
Touren	3260-7701E	TR60	3260	BLACK/MA	17	7.5	67.1	4-100
Touren	3260-7701G	TR60	3260	GUNMETA	17	7.5	67.1	4-100
Touren	260-7701M	TR60	3260	MATTE BLA	17	7.5	67.1	4-100
Touren	3260-7703E	TR60	3260	BLACK/MA	17	7.5	72.62	5-100
Touren	260-7703FM	TR60	3260	FULL MATT	17	7.5	72.62	5-100
Touren	3260-7703G	TR60	3260	GUNMETA	17	7.5	72.62	5-100
Touren	260-7703M	TR60	3260	MATTE BLA	17	7.5	72.62	5-100
Touren	3260-7709E	TR60	3260	BLACK/MA	17	7.5	72.62	5-112
Touren	260-7709FM	TR60	3260	FULL MATT	17	7.5	72.62	5-112
Touren	3260-7709G	TR60	3260	GUNMETA	17	7.5	72.62	5-112
Touren	260-7709M	TR60	3260	MATTE BLA	17	7.5	72.62	5-112
Touren	3260-7711E	TR60	3260	BLACK/MA	17	7.5	72.62	5-110
Touren	260-7711FM	TR60	3260	FULL MATT	17	7.5	72.62	5-110
Touren	3260-7711G	TR60	3260	GUNMETA	17	7.5	72.62	5-110
Touren	260-7711M	TR60	3260	MATTE BLA	17	7.5	72.62	5-110
Touren	3260-7714E	TR60	3260	BLACK/MA	17	7.5	72.62	5-108
Touren	260-7714FM	TR60	3260	FULL MATT	17	7.5	72.62	5-108
Touren	3260-7714G	TR60	3260	GUNMETA	17	7.5	72.62	5-108
Touren	260-7714M	TR60	3260	MATTE BLA	17	7.5	72.62	5-108
Touren	3260-7720E	TR60	3260	BLACK/MA	17	7.5	72.62	4-108
Touren	3260-7720G	TR60	3260	GUNMETA	17	7.5	72.62	4-108
Touren	260-7720M	TR60	3260	MATTE BLA	17	7.5	72.62	4-108
Touren	3260-7773E	TR60	3260	BLACK/MA	17	7.5	72.62	5-127
Touren	260-7773FM	TR60	3260	FULL MATT	17	7.5	72.62	5-127
Touren	3260-7773G	TR60	3260	GUNMETA	17	7.5	72.62	5-127
Touren	260-7773M	TR60	3260	MATTE BLA	17	7.5	72.62	5-127

Touren	260-7701B	TR60	3260	BLACK/RED	17	7.5	67.1	4-100
Touren	260-7703B	TR60	3260	BLACK/RED	17	7.5	72.62	5-100
Touren	260-7709B	TR60	3260	BLACK/RED	17	7.5	72.62	5-112
Touren	260-7711B	TR60	3260	BLACK/RED	17	7.5	72.62	5-110
Touren	260-7720B	TR60	3260	BLACK/RED	17	7.5	72.62	4-108
Touren	260-8803B	TR60	3260	BLACK/MA	18	8	72.62	5-100
Touren	260-8803FV	TR60	3260	FULL MATT	18	8	72.62	5-100
Touren	260-8803G	TR60	3260	GUNMETA	18	8	72.62	5-100
Touren	260-8803M	TR60	3260	MATTE BLA	18	8	72.62	5-100
Touren	260-8804B	TR60	3260	BLACK/MA	18	8	74.1	5-114.3
Touren	260-8804G	TR60	3260	GUNMETA	18	8	74.1	5-114.3
Touren	260-8804M	TR60	3260	MATTE BLA	18	8	74.1	5-114.3
Touren	260-8809B	TR60	3260	BLACK/MA	18	8	74.1	5-112
Touren	260-8809FV	TR60	3260	FULL MATT	18	8	74.1	5-112
Touren	260-8809G	TR60	3260	GUNMETA	18	8	74.1	5-112
Touren	260-8809M	TR60	3260	MATTE BLA	18	8	74.1	5-112
Touren	260-8811B	TR60	3260	BLACK/MA	18	8	72.62	5-110
Touren	260-8811G	TR60	3260	GUNMETA	18	8	72.62	5-110
Touren	260-8811M	TR60	3260	MATTE BLA	18	8	72.62	5-110
Touren	260-8814B	TR60	3260	BLACK/MA	18	8	72.62	5-108
Touren	260-8814FV	TR60	3260	FULL MATT	18	8	72.62	5-108
Touren	260-8814G	TR60	3260	GUNMETA	18	8	72.62	5-108
Touren	260-8814M	TR60	3260	MATTE BLA	18	8	72.62	5-108
Touren	260-8818B	TR60	3260	BLACK/MA	18	8	74.1	5-115
Touren	260-8818G	TR60	3260	GUNMETA	18	8	74.1	5-115
Touren	260-8873B	TR60	3260	BLACK/MA	18	8	72.62	5-127
Touren	260-8873G	TR60	3260	GUNMETA	18	8	72.62	5-127
Touren	260-8873M	TR60	3260	MATTE BLA	18	8	72.62	5-127
Touren	260-8803B	TR60	3260	BLACK/RED	18	8	72.62	5-100
Touren	260-8804B	TR60	3260	BLACK/RED	18	8	74.1	5-114.3
Touren	260-8809B	TR60	3260	BLACK/RED	18	8	74.1	5-112
Touren	260-8811B	TR60	3260	BLACK/RED	18	8	72.62	5-110
Touren	260-8814B	TR60	3260	BLACK/RED	18	8	72.62	5-108
Touren	260-8818B	TR60	3260	BLACK/RED	18	8	74.1	5-115
Touren	260-2804B	TR60	3260	BLACK/MA	20	8.5	74.1	5-114.3
Touren	260-2804G	TR60	3260	GUNMETA	20	8.5	74.1	5-114.3
Touren	260-2804M	TR60	3260	MATTE BLA	20	8.5	74.1	5-114.3
Touren	260-2809B	TR60	3260	BLACK/MA	20	8.5	72.62	5-112
Touren	260-2809FV	TR60	3260	FULL MATT	20	8.5	72.62	5-112
Touren	260-2809G	TR60	3260	GUNMETA	20	8.5	72.62	5-112
Touren	260-2809M	TR60	3260	MATTE BLA	20	8.5	72.62	5-112
Touren	260-2811B	TR60	3260	BLACK/MA	20	8.5	72.62	5-110
Touren	260-2811G	TR60	3260	GUNMETA	20	8.5	72.62	5-110
Touren	260-2811M	TR60	3260	MATTE BLA	20	8.5	72.62	5-110
Touren	260-2814B	TR60	3260	BLACK/MA	20	8.5	72.62	5-108
Touren	260-2814FV	TR60	3260	FULL MATT	20	8.5	72.62	5-108
Touren	260-2814G	TR60	3260	GUNMETA	20	8.5	72.62	5-108

Touren	260-2814M	TR60	3260	MATTE BLA	20	8.5	72.62	5-108
Touren	3260-2818B	TR60	3260	BLACK/MA	20	8.5	74.1	5-115
Touren	3260-2818C	TR60	3260	GUNMETA	20	8.5	74.1	5-115
Touren	3260-2873B	TR60	3260	BLACK/MA	20	8.5	72.62	5-127
Touren	260-2873FM	TR60	3260	FULL MATT	20	8.5	72.62	5-127
Touren	3260-2873C	TR60	3260	GUNMETA	20	8.5	72.62	5-127
Touren	260-2873M	TR60	3260	MATTE BLA	20	8.5	72.62	5-127
Touren	260-2804B	TR60	3260	BLACK/RED	20	8.5	74.1	5-114.3
Touren	260-2809B	TR60	3260	BLACK/RED	20	8.5	72.62	5-112
Touren	260-2811B	TR60	3260	BLACK/RED	20	8.5	72.62	5-110
Touren	260-2814B	TR60	3260	BLACK/RED	20	8.5	72.62	5-108
Touren	260-2818B	TR60	3260	BLACK/RED	20	8.5	74.1	5-115
Touren	260-6703FM	TR60	3260	FULL MATT	16	7	72.62	5-100
Touren	260-6709FM	TR60	3260	FULL MATT	16	7	72.62	5-112
Touren	260-6727FM	TR60	3260	FULL MATT	16	7	72.62	5-105
Touren	3260-7703S	TR60	3260	HYPERSILV	17	7.5	72.62	5-100
Touren	3260-7709S	TR60	3260	HYPERSILV	17	7.5	72.62	5-112
Touren	60-7711FM	TR60	3260	FULL MATT	17	7.5	72.62	5-110
Touren	260-7711G2	TR60	3260	GUNMETA	17	7.5	72.62	5-110
Touren	3260-7714S	TR60	3260	HYPERSILV	17	7.5	72.62	5-108
Touren	260-7727FM	TR60	3260	FULL MATT	17	7.5	72.62	5-105
Touren	3260-8809S	TR60	3260	HYPERSILV	18	8	74.1	5-112
Touren	3260-8814S	TR60	3260	HYPERSILV	18	8	72.62	5-108
Touren	260-8818FM	TR60	3260	FULL MATT	18	8	74.1	5-115
Touren	260-9809FM	TR60	3260	FULL MATT	19	8.5	74.1	5-110
Touren	3260-9809C	TR60	3260	GUNMETA	19	8.5	74.1	5-110
Touren	260-9814FM	TR60	3260	FULL MATT	19	8.5	74.1	5-108
Touren	3260-9814C	TR60	3260	GUNMETA	19	8.5	74.1	5-108
Touren	260-9873FM	TR60	3260	FULL MATT	19	8.5	71.5	5-127
Touren	3260-9873C	TR60	3260	GUNMETA	19	8.5	71.5	5-127

PCD2	Offsetnum	BackSpace	Wheel Cap	Load Rating	UPC
4-114.3	42	5.653543	C1032601B	1600	729419058425
4-114.3	42	5.653543	C1032601G	1600	729419070977
4-114.3	42	5.653543	1032601M	1600	729419060589
5-114.3	42	5.653543	C1032601B	1600	729419058432
5-114.3	42	5.653543	C1032601G	1600	729419070991
5-114.3	42	5.653543	1032601M	1600	729419060596
5-120	42	5.653543	C1032601B	1600	729419058449
5-120	42	5.653543	C1032601G	1600	729419071011
5-120	42	5.653543	1032601M	1600	729419060602
5-115	42	5.653543	C1032601B	1600	729419058456
5-115	42	5.653543	C1032601G	1600	729419071035
5-115	42	5.653543	1032601M	1600	729419060619
5-108	42	5.653543	C1032601B	1600	729419062019
5-108	42	5.653543	C1032601G	1600	729419071059
5-108	42	5.653543	1032601M	1600	729419062026
4-114.3	42	5.653543	C1032601B	1600	729419070960
5-114.3	42	5.653543	C1032601B	1600	729419070984
5-120	42	5.653543	C1032601B	1600	729419071004
5-115	42	5.653543	C1032601B	1600	729419071028
5-108	42	5.653543	C1032601B	1600	729419071042
4-114.3	42	5.903543	C1032601B	1600	729419058463
4-114.3	42	5.903543	C1032601G	1600	729419071073
4-114.3	42	5.903543	1032601M	1600	729419060626
5-114.3	42	5.903543	C1032601B	1600	729419058470
5-114.3	42	5.903543	C1032601B	1600	729419086237
5-114.3	42	5.903543	C1032601G	1600	729419071097
5-114.3	42	5.903543	1032601M	1600	729419060633
5-120	42	5.903543	C1032601B	1600	729419058487
5-120	42	5.903543	C1032601B	1600	729419086244
5-120	42	5.903543	C1032601G	1600	729419071110
5-120	42	5.903543	1032601M	1600	729419060640
5-115	42	5.903543	C1032601B	1600	729419058494
5-115	42	5.903543	1032601M	1600	729419095703
5-115	42	5.903543	C1032601G	1600	729419071134
5-115	42	5.903543	1032601M	1600	729419060657
5-114.3	42	5.903543	C1032601B	1600	729419077945
5-114.3	42	5.903543	1032601M	1600	729419095710
5-114.3	42	5.903543	C1032601G	1600	729419086251
5-114.3	42	5.903543	1032601M	1600	729419080419
5-108	42	5.903543	C1032601B	1600	729419062033
5-108	42	5.903543	C1032601G	1600	729419071158
5-108	42	5.903543	1032601M	1600	729419062040
	42	5.903543	C1032601B	1600	729419077655
	42	5.903543	1032601M	1600	729419095727
	42	5.903543	C1032601G	1600	729419080839
	42	5.903543	1032601M	1600	729419077662

4-114.3	42	5.903543	C1032601B	1600	729419071066
5-114.3	42	5.903543	C1032601B	1600	729419071080
5-120	42	5.903543	C1032601B	1600	729419071103
5-115	42	5.903543	C1032601B	1600	729419071127
5-108	42	5.903543	C1032601B	1600	729419071141
5-114.3	40	6.074803	C1032602B	1600	729419071394
5-114.3	40	6.074803	1032602M	1600	729419077952
5-114.3	40	6.074803	C1032602G	1600	729419071417
5-114.3	40	6.074803	1032602M	1600	729419071424
5-120	20	5.287402	C1032602B	1600	729419058517
5-120	20	5.287402	C1032602G	1600	729419071172
5-120	20	5.287402	1032602M	1600	729419060671
5-120	40	6.074803	C1032602B	1600	729419058524
5-120	40	6.074803	1032602M	1600	729419077976
5-120	40	6.074803	C1032602G	1600	729419071196
5-120	40	6.074803	1032602M	1600	729419060688
5-115	40	6.074803	C1032602B	1600	729419058531
5-115	40	6.074803	C1032602G	1600	729419071219
5-115	40	6.074803	1032602M	1600	729419060695
5-114.3	40	6.074803	C1032602B	1600	729419062057
5-114.3	40	6.074803	1032602M	1600	729419077969
5-114.3	40	6.074803	C1032602G	1600	729419071233
5-114.3	40	6.074803	1032602M	1600	729419062064
5-120	20	5.287402	C1032602B	1600	729419066369
5-120	20	5.287402	C1032602G	1600	729419071257
	40	6.074803	C1032602B	1600	729419077679
	40	6.074803	C1032602G	1600	729419080846
	40	6.074803	1032602M	1600	729419077686
5-114.3	40	6.074803	C1032602B	1600	729419071400
5-120	20	5.287402	C1032602B	1600	729419071165
5-120	40	6.074803	C1032602B	1600	729419071189
5-115	40	6.074803	C1032602B	1600	729419071202
5-114.3	40	6.074803	C1032602B	1600	729419071226
5-120	20	5.287402	C1032602B	1600	729419071240
5-120	20	5.537402	C1032602B	1600	729419058395
5-120	20	5.537402	C1032602G	1600	729419070878
5-120	20	5.537402	1032602M	1600	729419060558
5-120	40	6.324803	C1032602B	1600	729419061975
5-120	40	6.324803	1032602M	1600	729419095673
5-120	40	6.324803	C1032602G	1600	729419070892
5-120	40	6.324803	1032602M	1600	729419061982
5-115	40	6.324803	C1032602B	1600	729419061999
5-115	40	6.324803	C1032602G	1600	729419070915
5-115	40	6.324803	1032602M	1600	729419062002
5-114.3	40	6.324803	C1032602B	1600	729419058418
5-114.3	40	6.324803	1032602M	1600	729419095680
5-114.3	40	6.324803	C1032602G	1600	729419070939

5-114.3	40	6.324803	1032602M	1600	729419060572
5-120	20	5.537402	C1032602B	1600	729419066352
5-120	20	5.537402	C1032602G	1600	729419070953
	40	6.324803	C1032602B	1600	729419077631
	40	6.324803	1032602M	1600	729419095697
	40	6.324803	C1032602G	1600	729419086220
	40	6.324803	1032602M	1600	729419077648
5-120	20	5.537402	C1032602B	1600	729419070861
5-120	40	6.324803	C1032602B	1600	729419070885
5-115	40	6.324803	C1032602B	1600	729419070908
5-114.3	40	6.324803	C1032602B	1600	729419070922
5-120	20	5.537402	C1032602B	1600	729419070946
5-114.3	42	5.653543	1032601M	1600	729419107505
5-120	42	5.653543	1032601M	1600	729419107512
5-114.3	42	5.653543	1032601M	1600	729419106812
5-114.3	42	5.903543	C1032601S	1600	729419107536
5-120	42	5.903543	C1032601S	1600	729419107543
5-115	20	5.037402	1032601M	1600	729419107550
5-115	20	5.037402	C1032601G	1600	729419107567
5-114.3	42	5.903543	C1032601S	1600	729419107574
5-114.3	42	5.903543	1032601M	1600	729419106836
5-120	40	6.074803	C1032601S	1600	729419107598
5-114.3	40	6.074803	C1032601S	1600	729419107604
5-120	20	5.287402	1032601M	1600	729419107611
5-115	40	6.324803	1032603M	1600	729419107628
5-115	40	6.324803	C1032603G	1600	729419107635
5-114.3	40	6.324803	1032603M	1600	729419107642
5-114.3	40	6.324803	C1032603G	1600	729419107659
	40	6.324803	1032603M	1600	729419107666
	40	6.324803	C1032603G	1600	729419107673